

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Komet	Deco RF	DE 627 bowl, DE 611 tank	75			2	2		R	*								F	
American Standard	Cadet EL	2898: 4112 tank, 3459 bowl	125			2	2		E	*								F	
American Standard	Cadet RF	2798: 4112 tank, 3454 bowl	150			2	2		R	*								F	
Briggs	Abingdon III RF	4229: 4875 bowl, 4440 tank	150			2	2		R	*								F	
Costco	WaterRidge EL	386082 (one-piece)	150			1	2		E	*			HET					F	
Eljer	Canterbury RF	081-1620 (one-piece)	150			1	2		R	*								F	
Eljer	Patriot RF (replaced with newer version)	091-2120: 131-2120 bowl; 141-2120 tank	150			2	2		R	*								F	
Gerber	Aquasaver EL	21-712: 28-790 tank	150			2	2		E	*								F	
Niagara	Niagara Turbo RF	N2220: 2220B bowl, 2220T tank	150			2	2		R	*								F	
Orion	Iris RF	50073 bowl, 51073 tank	150			2	2		R	*								F	
Pro-Flo (by Briggs for Ferguson)	Abingdon III RF	PF2200 bowl; PF3212 tank	150			2	2		R	*								F	
Romax	Romax RF	3274-502: T6816 bowl, X6816 tank	150			2	2		R	*								F	
Home Depot - Glacier Bay	Aragon IV RF	SKU 164-963 (note that SKU is identical to that of Aragon IV EL)	175			2	2		R	*								F	
American Standard	Ravenna RF	3454 bowl, 4096 tank	200			2	2		R	*								F	
Corona	Orchid RF	8510	200			2	2		R	*								F	
St. Thomas	Marathon RF	6201.01	200			2	2		R	*								F	
American Standard	Plebe EL	3344 bowl, 4392 tank,	225			2	2		E	*								F	
NOTE: Fixtures listed above this line do NOT meet the minimum (250 grams) waste removal performance requirements recommended by MaP Testing																			
American Standard	Renaissance EL	2446: 3344 bowl, 4037 tank	250			2	2		E	*								F	
Cascadian	EL	C5000 bowl; T5000 tank	250			2	3		E	*								F	
Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250			2	3		R	*								F	
Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	SPS		2	2		E	*								F	
Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250			2	3		E	*								F	
Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250			2	3		E	*	*							F	
Duravit	Starck 2 EL (one piece)	16301 (one-piece)	250			1	3		E	*	*						R	W	
Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	250			2	2		R	*	*		HET				R	W	
Foremost	Rona Toilet-To-Go RF	TL-8257-TTG	250			2	2		R	*	*							F	
Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank	250			2	2		E	*	*							F	
Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, 28-494 tank	250			2	2		E	*	*							F	
Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank	250			2	2		E	*	*							F	
Home Depot - Glacier Bay	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (SKU 160-753), T-6800 tank (SKU 164-146)	250			2	3		E	*	*							F	
Jacuzzi	ERA Collection EL ADA (toilet in a box)	BK37959 (sold as a set)	250			2	3		E	*	*							F	
Jacuzzi	Era EL	BM06	250			1	3		E	*	*							F	
Kohler	Devonshire EL	K-3457: 4269 bowl, 4619 tank	250			2	2		E	*	*							F	
Kohler	Memoirs RF	K-3452: 4257 bowl, 4454-U tank (lined)	250			2	2		R	*	*							F	
Kohler	Sterling Riverton RF	402502: 404015 bowl, 404522 tank	250			2	2		R	*	*							F	
Kohler	Wellworth EL	K-3422: 4276 bowl, 4620 tank	250			2	2		E	*	*							F	
Niagara	Flapperless HET RF	N2225RB bowl, N2225T tank (model replaced by the Ecologic RF HET flapperless)	250	SPS		2	-	*	R					HET				F	
Foremost	Classic RF	LL-1207 bowl, T-1207 tank	275			2	2		R	*	*							F	
Mansfield	Alto RF	130 bowl, 161 tank	275			2	-	*	R	*	*							F	
American Standard	Sonoma/Colonv RF	3338 bowl, 4392 tank	300			2	2		R	*	*							F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
														Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
		Less than 250 grams																	
		250 grams to 475 grams																	
		500 grams and more																	
Type of toilet fixture		6-L (1.6-gal) Pressure- or power-assist																	
		4-L (1.1-gal) Pressure-assist (HET)																	
		Gravity-fed & Vacuum-assist																	
		6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																	
		4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)																	
Aquadis	CT-A1200 RF	CT-A1200 (bowl & tank models nos. not identified)	300			2	2		R		*			HET				F	
Cascadian	RF	C1101 bowl; T1102 tank	300			2	2		R		*							F	
Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	300			2	2		R	*	*			HET			R	W	
Duravit	Phillipe Starck RF (one piece)	16301.02 (one-piece)	300			1	3		R	*	*						R	W	
Foremost	None - EL	TL-6800-WL: T-6800-WL bowl, LL-6800-W tank (lined)	300			2	2		E		*							F	
Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, 28-495 tank	300			2	2		E		*							F	
Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300			2	2		E		*							F	
Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank	300			2	2		E		*							F	
Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, 28-495 tank	300			2	2		E	*	*							F	
Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-490 tank	300			2	2		E	*	*							F	
Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank	300			2	2		E	*	*							F	
Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-490 tank	300			2	2		R		*							F	
Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank	300			2	2		R		*							F	
Home Depot - Aragon	Aragon IV EL	SKU 164-963 (one-piece, lined tank)	300			1	2		E		*							F	
Home Depot - Glacier Bay	All-In-One RF	TG-4200-WL: also SKU 170-263	300			2	2		R		*							F	
Home Depot - Westminster	Westminster EL	SKUs: 455-684 bowl, 455-685 tank (lined)	300			2	2		E		*							F	
Jacuzzi	Perfecta EL ADA	BN30959 bowl, BN30-BN31 tank	300			2	3		E	*	*							F	
Jacuzzi	Signa Collection EL	BA29-959 bowl, Y415-959 tank	300			2	2		E		*							F	
Kohler	Wellworth RF	K-3423: 4277 bowl, 4620 tank	300			2	2		R		*							F	
Niagara	None RF	N4416: N4416 bowl, N4415T tank	300	SPS		2	-	*	R							HET		F	
Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300			2	2		R		*							F	
Svena Int'l	Eago EL	TB109M	300			1	2.5		E		*							F	
Vortens-Lamosa	GTA RF	3200 bowl, 3412 tank	300			2	2		R		*							F	
Western Pottery	Clinton 832 EL	832 bowl, ULF-8 tank	300			2	2		E		*							F	
Eljer	Toronto Savoy RF	091-0260: 131-2120 bowl, 141-0260 tank	325			2	2		R		*							F	
Foremost	Premier / Lilas RF (one-piece)	TL-5101-L (one piece with lined tank)	325			1	2		R		*							F	
Toto	Ultimate EL	854	325	SPS		1	3		E		*							F	
NOTE: Fixtures listed above this line do NOT meet the minimum (350 grams) waste removal performance requirements specified by the U.S. Environmental Protection Agency for their WaterSense Program																			
Aquadis	Tytane EL	TY350 (one piece)	350			1	2		E		*			HET				F	
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	WS	WS	2	-	*	E		*			HET				F	
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	WS	2	3		R							HET		F	
Crane	Hymont RF ADA	3H701 flushometer bowl only, tested w/1.6-gpf flushometer valve	350	NE	NE	1	-		R	*								F	
Crane	Placidus RF ADA	3446 flushometer bowl only, tested w/1.6-gpf flushometer valve	350	NE	NE	1	-		R	*							R	W	
Crane	VIP Flush EL	3996: 3991 bowl, 3976 tank	350			2	2		E			*						F	
Foremost	None	TL-4000-WL (one-piece)	350	SPS		1	2		E		*							F	
Foremost	None - EL	TL-7237-YL: LL-7237-Y bowl, T-7237-YL tank (lined)	350			2	3		E		*							F	
Foremost	None - EL ADA	AIO1000-EW	350	WS	WS	2			E	*	*			HET				F	
Foremost	None - RF ADA	AIO1000-RW	350	WS	WS	2			R	*				HET				F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
	Type of toilet fixture	Model Name												Model Number	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity			Flushometer Valve (commercial)
Foremost	Plaza	TL-7107-WL: T7107 bowl, LL-7107 tank	350	WS	WS	2	-				*			HET				F		
Foremost	Regent RF	LL-5207 bowl, T-5207 tank	350			2	2		R		*							F		
Foremost (for Home Depot)	None EL ADA	BT6001 (Glacier Bay Home Depot SKU 331-725)	350	WS	WS	2			E	*	*					HET		F		
Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-490 tank	350			2	2		E		*							F		
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	WS	WS	2	-		E				*	HET			R	F		
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	WS	WS	2			E						HET		R	F		
Globe Union Canada	StoneHouse EL (one-piece)	C220672 (one-piece)	350	SPS		1	2		E		*							F		
HCG	King EL	CS1003 King: C1003 bowl, S352 tank	350			2	3		E		*							F		
HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350			2	2		R		*			HET				F		
Home Depot - Glacier Bay (by Foremost)	None	SKU 331-725 (Foremost Model BT6001)	350	WS	WS											HET		F		
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	350	WS	WS	2	-	*	E							HET		F		
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	350	WS	WS	2	-		E				*		HET		R	F		
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	SPS	WS	2	-		E		*			HET				F		
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	350	WS	WS	1	-	*	E	*					HET			F		
Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	SPS	WS	2	-	*	E		*			HET				F		
Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	SPS	WS	2	-	*	R		*			HET				F		
Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	SPS	WS	2	-	*	E		*			HET				F		
Mancesa	St. Michelle RF	2360 bowl, 4260 tank	350			2	2		R		*							F		
Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot SKU 840-565	350	WS	WS	2	-	*	E							HET		F		
Niagara	None	N2310: 2310B bowl, 2310T tank	350	SPS	WS	2	-								HET			F		
Niagara	None EL ADA	N4417: N4417 bowl, N4415T tank	350	SPS		2	-	*	E	*						HET		F		
Pro-Flo	None - EL	PF1301: PF1301 bowl, PF 4112 tank	350			2	2		E		*							F		
Pro-Flo	None - EL ADA	PF1303: PF1303 bowl, PF 4112 tank	350			2	2		E	*	*							F		
Pro-Flo	None - RF	PF1300: PF1300 bowl, PF 4112 tank	350			2	2		R		*							F		
Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	350	SPS	WS	1	3		E							HET		F		
Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	350	WS	WS	2			E		*			HET				F		
Vortens-Lamosa	Delfos	3130	350	WS	WS	1					*			HET				F		
Vortens-Lamosa	Palermo EL	3126	350			1	2		E		*							F		
Zurn	EL	Z5530: Z5510/30 bowl; Z5530/40/50 tank	350			2	2		E		*							F		
Briggs	Vacuity EL	4200: 4300 bowl, 4400 tank	375	SPS		2	2		E			*						F		
Foremost	Premier / Lilas RF	LL-8207 bowl, T-8207 tank (ALSO sold as combination TT-8207-WL)	375			2	2		R		*							F		
Pro-Flo (by Briggs for Ferguson)	Vacuity EL	PF3201 bowl; PF3612 tank	375			2	2		E			*						F		
Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	SPS		2	-	*	R		*			HET				F		
Western Pottery	Aris 822 RF	822 bowl, ULF-8 tank	375			2	2		R		*							F		
Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400			2	2		E		*			HET				F		
Briggs	Maelstrom RF	4390 bowl, 4490 tank	400			2	3		R		*							F		
Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400	SPS		2	-		E						HET			F		
Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400			2	2		R		*							F		
Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	SPS		2	2		R		*							F		
Crane	Flormont EL ADA	3922: 3191 bowl. 3742 tank	400			2	3		E	*	*							F		

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
														Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
	Less than 250 grams																		
	250 grams to 475 grams																		
	500 grams and more																		
Type of toilet fixture																			
	6-L (1.6-gal) Pressure- or power-assist																		
	4-L (1.1-gal) Pressure-assist (HET)																		
	Gravity-fed & Vacuum-assist																		
	6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																		
	4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)																		
Crane	Shiloh EL	31731 (one piece)	400			1			E		*						F		
Crane	Whirlton RF	3327 flushometer bowl only, tested w/1.6-gpf flushometer valve	400	NE	NE	1	-		R								F		
Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	400			2	2		S	*	*			HET			R	W	
Eljer	Patriot EL	091-2125: 131-2125 bowl, 141-2120 tank	400			2	2		E		*						F		
Eljer	Patriot RF (replaces earlier version of Patriot RF)	091-2120: 131-2120 bowl, 141-2120 tank	400			2	2		R		*						F		
Eljer	Toronto Patriot RF	091-2020: 131-2120 bowl; 141-2020 tank	400			2	2		R		*						F		
Eljer	Toronto Savoy EL	091-0265: 131-2125 bowl, 141-0260 tank	400			2	2		E		*						F		
Foremost	Colonade EL ADA	TL-6010-E: LL-6010-E bowl, T-6010 tank	400			2	3		E	*	*						F		
Foremost	None EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, HET tank T-7600	400	WS	WS	2			E	*	*					HET		F	
Gerber	Aquasaver EL (one-piece)	21-015	400			1	2		E		*						F		
Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank	400	SPS		2	2		E		*						F		
Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, 28-494 tank	400			2	2		E		*						F		
Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, 28-495 tank	400			2	2		R		*						F		
Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank	400			2	2		R		*						F		
Gerber	Maxwell RF (12-inch rough-in)	21-017 (one piece)	400			1	2		R		*						F		
Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank	400			2	2		R		*						F		
HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400			2	2		E		*			HET			F		
HCG	None - EL ADA	CS1001: C1001 bowl, S1001 tank	400			2	3		E	*	*						F		
HCG	Queen EL	CS1003 Queen: C1003 bowl, S353 tank	400			2	3		E		*						F		
Home Depot - Glacier Bay (by Niagara)	None - EL ADA (Flapperless)	SKUs: 382-298 bowl, 382-438 tank	400			2	-		E	*	*						F		
Home Depot - Pegasus	Colonade EL ADA	SKU 160-406 bowl, 152-143 tank	400			2	3		E	*	*						F		
Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	SKU 477-546: 3107 bowl, 3427 tank	400	SPS		2	-	*	E		*			HET			F		
Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	SPS	WS	2	2	*	E		*			HET			F		
Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400			2	2		R		*						F		
Mansfield	None - RF	103 bowl, 109 tank	400			2	3		R		*						F		
Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400			2	-	*	E	*	*						F		
Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400	SPS		2	-		E						HET		F		
Pro-Flo (by Briggs for Ferguson)	Maelstrom RF	PF8203 bowl; PF8212 tank	400			2	3		R		*						F		
Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	SPS	WS	2	2		E		*			HET			F		
Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400			2	2		R		*						F		
Toto	Ultimate RF	853	400	SPS		1	3		R		*						F		
Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	WS	2	2		E		*			HET			F		
Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400	SPS		2	-	*	E		*			HET			F		
Western Pottery	Dual Flush EL	812 DF bowl, ULF-8 DF tank	400			2	2		E		*			HET			F		
Zurn	EL ADA	Z5550: Z5550 bowl; Z5530/40/50 tank	400			2	2		E	*	*						F		
Zurn	RF	Z5540: Z5520/40 bowl; Z5530/40/50 tank	400			2	2		R		*						F		
Eljer	Patriot Savoy EL ADA	091-0285: 131-2175 bowl, 141-0220 tank	425			2	2		E	*	*						F		
Eljer	Patriot Savoy RF	091-0220: 131-2120 bowl, 141-0220 tank	425			2	2		R		*						F		
Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	SPS	WS	2	-	*	R		*			HET			F		
Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9304 bowl; PF9312 tank	450	SPS	WS	2	2		E	*	*			HET	HET		F		

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	WS	2	2		E	*	*			HET					F
Vortens-Lamosa	Genova EL	3121 bowl, 3421 tank	450			2	2		E		*								F
Capizzi	Turbo Capizzi EL	0778 bowl, 1278 tank	475	SPS		2	-		E						HET				F
Aquadis	DecoKit RF	TI 627 bowl, FL 610 tank	500			2	2		R		*								F
Briggs	Vacuity RF	4210: 4310 bowl, 4400 tank	500	SPS		2	2		R			*							F
Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500	SPS		2	-		E						HET				F
Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500	SPS		2	-		E	*					HET				F
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*			HET					F
Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	SPS	WS	2	-	*	R		*			HET					F
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*			HET					F
Caroma	Caravelle One-Piece RF	989646	500	SPS	WS	1	-	*	R		*			HET					F
Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500			2	-	*	E		*			HET					F
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	WS	2	-	*	E		*			HET					F
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	SPS	WS	2	-	*	E		*			HET					F
Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500			2	-	*	E	*	*			HET				R	W
Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500			2	2		E	*	*								F
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	WS	2	-		E		*			HET					F
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	WS	2	-		R		*			HET					F
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	WS	2			E		*			HET					F
Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500			2	3		E		*								F
Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500			2	3		E		*								F
Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	SPS		2	2		E		*								F
Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	SPS		2	2		E		*								F
Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500			2	3		R		*								F
Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	SPS		2	2		R		*								F
Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	SPS		2	2		R		*								F
Crane	San Walton EL	3481 flushometer bowl only, tested w/1.6-gpf flushometer valve	500	NE	NE	1	-		E										F
Crane	San Walton EL	3484 flushometer bowl only, tested w/1.6-gpf flushometer valve	500	NE	NE	1	-		E										F
Eljer	Patriot EL ADA	091-2175: 131-2175 bowl, 141-2120 tank	500			2	2		E	*	*								F
Eljer	Patriot Savoy EL	091-0225: 131-2125 bowl, 141-0220 tank	500			2	2		E		*								F
Foremost	Gemini Dual-Flush RF ADA	TL-2100-WL (one-piece)	500			1	2	*	R	*	*			HET					F
Foremost	None - EL ADA	TL-6010E-WL: LL-6010-EW bowl, T-6010-WL tank (lined)	500			2	3		E	*	*								F
Foremost	None RF	4710BFZ (one piece with insulated tank)	500			1	2.5		R		*			HET					F
Gerber	Allerton EL (14-inch rough-in)	20-006: 21-572 bowl, 28-584 tank	500			2	2		E		*								F
Gerber	Maurice EL	20-012 (one-piece)	500	SPS		1	-		E				*						F
Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank	500	SPS		2	2		E		*								F
Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank	500	SPS		2	2		R		*								F
Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank	500	SPS		2	2		R		*								F
Home Depot - Pegasus	Colonade EL ADA	SKUs: 146-548 bowl, 146-283 tank (lined)	500			2	3		E	*	*								F
Kohler	Santa Rosa EL	K-3323	500			1	2		E		*								F
Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500			2	2		E	*	*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	SPS	WS	2	-		R								HET		F
Niagara	None EL	N4418 (one piece)	500	SPS		1	-	*	E								HET		F
Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500	SPS		2	-		E	*					HET				F
Pro-Flo (by Briggs for Ferguson)	Vacuity RF	PF3205 bowl; PF3612 tank	500			2	2		R			*							F
Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	SPS	WS	2	2		R		*			HET					F
RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500			2	2		E		*			HET					F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	SPS		2	3		E	*							HET		F
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	SPS	WS	2	3		R								HET		F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	SPS	WS	2	3		E	*							HET		F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	SPS	WS	1	3		E								HET		F
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	SPS	WS	1	3		E								HET		F
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	SPS	WS	1	3		E	*							HET		F
Toto	Gwyneth EL ADA	CST604CEF (one-piece)	500	SPS		1	3		E	*							HET		F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	WS	2	2		R		*			HET					F
Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	SPS	WS	2	-	*	E	*					HET				F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	SPS	WS	2	-	*	R		*			HET					F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	SPS		2	2		R		*								F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	SPS		2	2		R		*								F
American Standard	FloWise EL	2073.013: 3018 bowl, 4023.013 tank (this model to be discontinued & replaced by 2073.014)	550	SPS		2	3	*	E								HET		F
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	WS	2	-	*	E		*			HET					F
Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	WS	WS	2	-	*	E	*	*			HET					F
Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550	SPS		2	-	*	R		*			HET					F
Crane	VIP RF	3997: 3992 bowl, 3976 tank	550			2	2		R			*						R	F
Eljer	Aquasaver EL	091-7025: 131-7025 bowl, 141-7000 tank	550	SPS		2	-		E				*						F
Foremost	None RF	4710BFTU (one piece)	550			1	2.5		R		*								F
Foremost	None RF	4720BFZU combination	550			2	2		R		*			HET					F
Foremost	None RF	4722BFTU bowl, 4721BFTU tank	550			2	2		R		*								F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	SPS	WS	2	-		E				*	HET				R	F
Mansfield	Montclair EL ADA	107 bowl, 108 tank	550			2	3		E	*	*								F
Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	SPS		2	-		E				*					R	F
Toto	CST703 RF	703: C703 bowl, ST703 tank	550			2	2		R		*								F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	SPS	WS	1	3		R								HET		F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 or 3433 tank	550	SPS	WS	2	-	*	E	*	*			HET					F
Vortens-Lamosa	Taza Vienna RF (Lined)	3208 bowl, 3464-S tank (lined)	550	SPS		2	2		R		*								F
Vortens-Lamosa	Vienna II RF	3208 bowl, 3412 tank	550			2	2		R		*								F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3412 tank	550			2	2		R		*								F
American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	600	SPS		1	3		E		*								F
Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600			2	2		R		*								F
Briggs	Kingsley RF	6083-130 (one piece)	600			1	3		R		*								F
Briggs	Maelstrom EL	4395 bowl, 4490 tank	600			2	3		E		*								F
Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600			2	3		E	*	*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Type of toilet fixture			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	SPS	WS	2	-	*	R		*				HET				F
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	SPS	WS	2	-	*	R		*				HET				F
Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	SPS		2	-	*	R		*				HET				F
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	WS	2	-	*	R		*				HET				F
Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	SPS	WS	2	-	*	R		*				HET				F
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	WS	2	-	*	E		*				HET				F
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	WS	2	-	*	E	*	*				HET				F
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	WS	2	-		R		*				HET				F
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	WS	2	3		R								HET		F
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	WS	2			R		*				HET				F
Crane	San Walton EL ADA	31080 flushometer bowl only, tested w/1.6-gpf flushometer valve	600	NE	NE	1	-		E	*									F
Duravit	Happy D RF	017009 bowl, 091000-05 tank	600			2	2		R	*	*				HET			R	W
Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600			2	2		R	*	*				HET			R	W
Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600			1	3		E		*								F
Eljer	Toronto Patriot EL	091-2025: 131-2125 bowl; 141-2020 tank	600			2	2		E		*								F
Foremost	None - EL ADA	TL-6010E-W: LL-6010-EW bowl, T-6010-W tank	600			2	3		E	*	*								F
Foremost	None - RF	TT-2010-WL: LL-2010 bowl, T-2010 tank (lined)	600	WS	WS	2	2.5		R	*	*				HET				F
Foremost	None EL	4722BET bowl, 4721BFTU tank	600			2	2		E		*								F
Foremost	None EL ADA	4722BFT bowl, 4721BFTU tank	600			2	2		E	*	*								F
Foremost	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600			2	2		E	*	*								F
Foremost	None RF	4710BFT (lined tank)	600			1	2.5		R	*	*								F
Foremost	None RF	4710BFZU (one piece)	600			1	2.5		R		*				HET				F
Foremost	None RF	4720BFZ combination (lined tank)	600			2	2		R		*				HET				F
Foremost	None RF	4722BFT bowl, 4721BFT tank (lined)	600			2	2		R		*								F
Gerber	Allerton EL (12-inch rough-in)	20-004: 21-572 bowl, 28-580 tank	600			2	2		E		*								F
Gerber	Brianne EL	20-013 (one-piece)	600	SPS		1	-		E				*						F
Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, 28-494 tank	600			2	2		R		*								F
Gerber	Viper EL ADA	21-517: 21-528 bowl, 28-595 tank	600			2	2		E	*	*								F
Gerber	Viper EL ADA	21-524: 21-528 bowl, 28-594 tank	600			2	2		E	*	*								F
Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank	600	SPS		2	2		E	*	*								F
Gerber	Viper RF	21-500: 21-552 bowl, 28-595 tank	600			2	2		R		*								F
Gerber	Viper RF	21-502: 21-552 bowl, 28-590 tank	600			2	2		R		*								F
Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank	600	SPS		2	2		R		*								F
Gerber	Viper RF	21-504: 21-552 bowl, 28-594 tank	600			2	2		R		*								F
Home Depot - Pegasus	Colonade EL ADA	SKUs: 160-406 bowl, 152-143 tank	600			2	3		E	*	*								F
Kohler	Cimarron EL	K-3499: 4285 bowl, 4634 tank (option at 1.4-g)	600	SPS		2	3		E		*								F
Mansfield	Magnum EL	722	600			1	3		E		*								F
Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600			2	-	*	E	*	*								F
Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600			2	-	*	R	*	*								F
Niagara	Flapperless Superior EL	N2218	600			1	-	*	E	*	*								F
Pro-Flo (by Briggs for Ferguson)	Altima III RF	PF1200 bowl; PF3112 tank	600			2	2		R		*								F
Pro-Flo (by Briggs for Ferguson)	Maelstrom EL	PF8200 bowl; PF8212 tank	600			2	3		E		*								F
Pro-Flo (by Briggs for Ferguson)	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600			2	3		E	*	*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600			2	3		E		*							F	
Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tabj	600	SPS	WS	2	3		E									F	
Vitra	Atlantis EL ADA	5052 bowl, 6853 tank	600	SPS		2	2		E	*	*							F	
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	WS	2	2		E	*								F	
Vortens-Lamosa	Rhodos EL ADA	3123V bowl, 3436SPS tank	600	SPS		2	2		E	*	*							F	
Vortens-Lamosa	Taza Vienna RF (Unlined)	3208 bowl, 3464-R tank (unlined)	600	SPS		2	2		R		*							F	
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	SPS		2	2		R		*		HET					F	
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	SPS		2	2		R		*							F	
Gerber	Ultra Flush (rear discharge)	21-310: 21-374 bowl, 28-380 tank	625	SPS		2	-		E			*					R	F	
Toto	Carlyle EL	874	625			1	3		E		*							F	
Briggs	Vacuity EL	4245: 4345 bowl, 4400 tank	650	SPS		2	2		E			*					R	F	
Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	SPS	WS	2	-	*	R		*		HET					F	
Caroma	Reflections 270 RF	989720: 609159 bowl , 629530 tank	650	SPS		2	-	*	R		*		HET					F	
Caroma	Sydney Smart 305 RF (1.28-gpf-0.8-gpf dual flush)	609151A bowl, 622322 tank	650	WS	WS	2	-	*	R				HET					F	
Foremost	None EL	4722BET bowl, 4721BFT tank (lined)	650			2	2		E		*							F	
Mancesa	Cyclone 4 EL	2282 bowl, 2281 tank	650	SPS		2	-		E					HET				F	
Mansfield	Maverick EL	101 bowl, 102 tank (NOTE: This combination also bears the model no. 645 when sold at Lowe's)	650			2	3		E		*							F	
Pro-Flo (by Briggs for Ferguson)	Vacuity EL	PF3200 bowl; PF3612 tank	650			2	2		E			*					R	F	
RAK Ceramics	Compact Syphonic EL ADA	CT30 bowl, CT65 tank	650			2	3		E	*	*							F	
Toto	Carusoe RF	715: C715 bowl, ST706 tank	650			2	2		R		*							F	
Toto	Dalton EL ADA	734: C734F bowl, ST733 tank	650			2	2		E	*	*							F	
Toto	Clayton EL ADA (nee Baldwin)	784: C784SF bowl, ST784S tank	675			2	3		E	*	*							F	
Toto	Plymouth EL	924	675	SPS		1	3		E		*							F	
Briggs	Hathaway Vacuity EL	4360 bowl, 4460 tank	700			2	2		E			*						F	
Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	SPS	WS	2	-	*	E		*		HET					F	
Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	SPS	WS	2	-	*	E		*		HET					F	
Foremost	Moline EL	TL-8267-L: LL-8267 bowl, T-8267 tank (lined)	700			2	2.5		E		*		HET					F	
Foremost	Regent RF	TL-5200-WL (one piece with lined tank)	700			1	2		R		*							F	
Pro-Flo (by Briggs for Ferguson)	Hathaway Vacuity EL	PF2200 bowl; PF3212 tank	700			2	2		E			*						F	
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	SPS		2	3		E	*						HET		F	
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	SPS		2	3		E	*						HET		F	
Toto	Neorest EL	600	700	SPS		1	-	*	E			*						F	
Toto	Ultramax EL	854xxxS	700	SPS		1	3		E		*							F	
Vitra	Riva EL	4117 bowl, 6952 tank	700			2	3		E		*							F	
Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	SPS	WS	2	-		E					HET				F	
Crane	VIP Flush RF	3995: 3990 bowl, 3976 tank	725	SPS		2	2		R			*						F	
Niagara	Flapperless RF	N2216: 2216B bowl, 2216T tank	725			2	-	*	R		*							F	
American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	SPS		2	-		E			*						F	
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	SPS	WS	2	3	*	E							HET		F	
Foremost	Premier EL	TL-5100-WL (one piece with lined tank)	750			1	2		E		*							F	
Vitra	Altantis EL	5051 bowl, 6853 tank	750	SPS		2	2		E		*							F	
Vitra	Corina EL (one-piece)	5178	750	SPS		1	3		E		*							F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
American Standard	Colony RF	4392.016 tank, 3038 bowl	775			2	2		R		*							F	
American Standard	Colony RF (lined tank)	4392.500 LINED tank, 3038 bowl	775			2	2		R		*							F	
American Standard	Afwall FloWise EL	3351.128 flushometer bowl only (top spud); tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E	*						HET	R	W	
American Standard	Afwall FloWise EL	3352.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E	*						HET	R	W	
American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	SPS		2	3		E		*							F	
American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021.500 LINED tank	800	SPS		2	3		E		*							F	
American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece)	800	SPS		1	3		E	*	*							F	
American Standard	Champion RF	2023: 3110 bowl, 4260 tank	800	SPS		2	3	*	R		*							F	
American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	800	SPS		2	3	*	R		*							F	
American Standard	Doral Champion RF	2369: 3110 bowl, 4272 tank	800	SPS		2	3	*	R		*							F	
American Standard	Doral Classic/Williamsburg RF	2076: 3110 bowl, 4172.016 tank	800	SPS		2	3	*	R		*							F	
American Standard	Glenwall EL	3402 bowl, 4098 tank	800	SPS		2	-		E	*		*					R	W	
Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800			2	2		E	*	*							F	
Briggs	Kingsley EL	6087 (one piece)	800			1	3		E		*							F	
Caroma	Caravelle 1-Piece EL ADA	989668	800	SPS	WS	1	-	*	E	*	*			HET				F	
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	SPS	WS	2	-	*	E	*	*			HET				F	
Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	SPS	WS	2	-	*	R	*	*			HET				F	
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	WS	2	-	*	E		*			HET				F	
Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800			2	3		E	*	*							F	
Crane	EcoWhirlton EL	3325 flushometer bowl only, tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E							HET		F	
Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800			2	3		E									F	
Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800			2	3		E	*	*							F	
Crane	San Walton EL	3480 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E									F	
Crane	San Walton EL ADA	31082 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E	*								F	
Crane	San Walton EL ADA	31083 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E	*								F	
Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	SPS		2	3		E		*							F	
Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800			2	3		E		*							F	
Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800			2	3		R		*							F	
Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	SPS		2	-		E						HET			F	
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	SPS		2	-		E	*					HET			F	
Eljer	Toronto Patriot EL ADA	091-2075: 131-2175 bowl; 141-2020 tank	800			2	2		E	*	*							F	
Foremost	Gemini Dual-Flush RF	TL-2005-L: LL-2005 bowl, T-2005-L tank (lined)	800			2	2	*	R		*			HET				F	
Gerber	Allerton EL ADA (10-inch rough-in)	20-008: 21-577 bowl, 28-585 tank	800			2	2		E	*	*							F	
Gerber	Allerton EL ADA (12-inch rough-in)	20-002: 21-577 bowl, 28-580 tank	800			2	2		E	*	*							F	
Gerber	Allerton EL ADA (14-inch rough-in)	20-009: 21-577 bowl, 28-584 tank	800			2	2		E		*							F	
Gerber	Allerton RF (10-inch rough-in)	20-002: 21-542 bowl, 28-585 tank	800			2	2		R		*							F	
Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800			2	3		E	*	*							F	
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*					HET			F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make		Model Name	Model Number											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Gerber		Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	SPS	WS	2	-	E	*					HET				F
Gerber		Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-	E	*					HET				F
Gerber		Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-	E	*					HET				F
Gerber		Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	SPS	WS	2	-	E	*					HET			R	F
Gerber		Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800	SPS		2	-	E	*					HET				F
Gerber		Viper EL	21-510: 21-562 bowl, 28-595 tank	800			2	2	E		*								F
Gerber		Viper EL	21-510: 21-562 bowl, EH28-595 tank	800	SPS		2	2	E		*								F
Gerber		Viper EL	21-512: 21-562 bowl, 28-590 tank	800			2	2	E		*								F
Gerber		Viper EL	21-512: 21-562 bowl, EH28-590 tank	800	SPS		2	2	E		*								F
Gerber		Viper EL	21-514: 21-562 bowl, 28-594 tank	800			2	2	E		*								F
Gerber		Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank	800	SPS		2	2	E	*	*								F
Gerber		Viper EL ADA	21-518: 21-528 bowl, 28-590 tank	800			2	2	E	*	*								F
Gerber		Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank	800	SPS		2	2	E	*	*								F
Home Depot - Pegasus		Dual-Flush RF	SKU 131-926	800			2	-	R		*			HET					F
Home Depot (by Niagara)		Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	SPS	WS	2	-	E	*						HET			F
Jacuzzi		Era Collection EL ADA	BK37959 (sold as a set)	800			2	3	E	*	*								F
Jacuzzi		ERA Toilet "in a box" EL ADA	BK37959	800			2	3	E	*	*								F
Jacuzzi		Perfecta RF ADA	BN31959 (sold as a set)	800			2	3	R	*	*								F
Kohler		Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	SPS		2	3	E	*	*								F
Kohler		Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	SPS		2	3	E	*	*								F
Kohler		Cimarron Comfort Height EL ADA	K-3489	800	SPS		1	3	E	*	*								F
Kohler		Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	SPS	WS	2	3	E	*						HET			F
Kohler		Cimarron EL ADA	K-3496: 4286 bowl, 4634 tank - NOTE: this fixture is also identified as K-11466 when included as part of the "COMPLETE SOLUTION" package.	800	SPS		2	3	E	*	*								F
Kohler		Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also identified as K-11465 when included as part of the "COMPLETE SOLUTION" package.	800	SPS		2	3	R	*	*								F
Kohler		Gabrielle EL ADA	K-3513 (one-piece)	800	SPS		1	3	E	*	*								F
Kohler		Highline EL ADA	K-3611: 4298 bowl, 4632 tank	800			2	3	E	*	*								F
Kohler		Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	SPS		2	-	E	*			*						F
Kohler		Memoirs Classic EL	K-3451 (Classic tank lid)	800	SPS		1	3	E		*								F
Kohler		Memoirs Stately EL	K-3453 (Stately tank lid)	800	SPS		1	3	E		*								F
Kohler		Purist EL	K-3492 Power-Assisted	800	SPS		1	-	E		*		*						F
Kohler		Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	SPS	WS	2	2	R		*			HET					F
Mansfield/Colceramica		Stafford EL	105 bowl, 106 tank	800			2	3	E		*								F
Niagara		Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Also sold as Home Depot SKU 331-725	800	SPS	WS	2	-	E	*						HET			F
Porcher (American Standard)		Veneto II EL	97220 (one-piece)	800			1	3	E		*								F
Toto		Aquia EL	CST414M: CT414 bowl, ST413M tank	800	SPS	WS	2	2	E		*			HET					F
Vitra		Altantis RF	5050 bowl, 6853 tank	800	SPS		2	2	R		*								F
Vitra		Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	SPS	WS	2	2	E	*	*			HET					F
Vitra		EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	WS	2	2	R	*						HET			F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Vitra	Mona EL	4117 bowl, 4015 tank	800			2	3		E		*								F
Vitra	Serenada EL ADA	4219-003-5265	800	SPS		1	3		E	*	*								F
Vortens-Lamosa	Vienna L EL (ballcock-float arm fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464V)	800			2	2		E		*								F
Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	SPS		2	2		E		*								F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	SPS		2	2		R		*								F
Western Pottery	Typhoon 830 EL	830: B830 bowl, T8ULF-HP tank	800			2	3		E		*								F
Zurn	EcoVantage Dual Flush EL	Z5572	800	SPS		2	-	*	E				*	HET					F
Zurn	EcoVantage EL	Z5570	800	SPS		2	-	*	E				*						F
Zurn	EcoVantage EL	Z5571	800	SPS		2	-	*	E						HET				F
Mansfield	Quantum EL	147 bowl, 123 tank	825	SPS		2	-		E				*						F
Vitra	Corina RF	5068 bowl, 5070 tank	825	SPS		2	3		R		*								F
American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	SPS		2	3		E	*	*								F
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	SPS	WS	2	-	*	E	*	*			HET					F
Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	WS	WS	2	-	*	E		*			HET					F
Foremost	Premier / Lilas EL ADA	LL-8207-HC bowl, T-8207 tank (ALSO sold as combination TT-8297-WL)	850			2	2		E	*	*								F
Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850	SPS		1	-	*	E				*	HET					F
Mansfield	Quantum RF	146 bowl, 123 tank	850	SPS		2	-		R				*						F
Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	SPS	WS	2	3		E							HET			F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	WS	2	3		E							HET			F
Vitra	Corina EL	5069 bowl, 5070 tank	850	SPS		2	3		E		*								F
Vitra	Corina RF (one-piece)	5209	850	SPS		1	3		R		*								F
American Standard	FloWise Dual Flush EL	2479.216: 3067.216 bowl, 4035.216 tank	900	WS	WS	2	2	*	E		*			HET					F
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	SPS	WS	2	-	*	E	*	*			HET					F
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	WS	2	-	*	E	*	*			HET					F
Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900			2	3		E	*	*								F
Gerber	Ultra Flush EL	21-302: 21-342 bowl, 28-380 tank	900	SPS		2	-		E				*						F
Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	SPS		2	-		R				*						F
Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	SPS		2	-		R				*						F
Mansfield	None - EL	144 bowl, 153 tank	900	SPS	WS	2	-		E	*					HET			R	W
Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	SPS	WS	2	3		R							HET			F
Toto	Drake EL	CST744S: C744S bowl, ST743S tank	900	SPS		2	3		E		*								F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	SPS	WS	2	3		E	*						HET			F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	WS	2	3		R							HET			F
Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900			2	3		E	*	*								F
Mansfield	Quantum EL ADA	148 bowl, 123 tank	925	SPS		2	-		E	*			*						F
American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank	950	SPS		2	3		E	*	*								F
American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	SPS		2	3		E	*	*								F
American Standard	Afwall EL	3351.160 flushometer bowl only (top spud); tested w/1.6-gpf flushometer valve	1,000	NE	NE	1	-		E	*								R	W
American Standard	Afwall EL	3352.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6-gpf flushometer valve	1,000	NE	NE	1	-		E	*								R	W
American Standard	Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	SPS		2	3		E		*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Make	Model Name	Model Number												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined)	1,000	SPS		2	3	*	E		*								F
American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	SPS		2	3		E		*								F
American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined)	1,000	SPS		2	3		E	*	*								F
American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021.500 LINED tank	1,000	SPS		2	3		E	*	*								F
American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	SPS		2	3		R		*								F
American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank	1,000	SPS		2	3		R		*								F
American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank	1,000	SPS		2	3		R		*								F
American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021.500 LINED tank	1,000	SPS		2	3		R		*								F
American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	SPS		2	3		R		*								F
American Standard	Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	SPS		2	3		E		*								F
American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank	1,000	SPS		2	3		R		*								F
American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank	1,000	SPS		2	3		R		*								F
American Standard	Champion EL	2018: 3121 bowl, 4260 tank	1,000	SPS		2	3	*	E		*								F
American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	SPS		2	3	*	E	*	*								F
American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E		*								F
American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*								F
American Standard	Compact Cadet	2403.012 (one-piece)	1,000	SPS		1	3		E	*	*								F
American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank	1,000	SPS		2	3		E		*								F
American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	SPS		2	3		E		*								F
American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	SPS		2	3		E	*	*								F
American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	SPS		2	3		R		*								F
American Standard	Doral Champion EL	2368: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E		*								F
American Standard	Doral Champion EL ADA	2367: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*								F
American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	SPS		2	3		E		*								F
American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	SPS		2	3		R		*								F
American Standard	Doral Classic/Williamsburg EL	2074: 3121 bowl, 4172.016 tank	1,000	SPS		2	3	*	E		*								F
American Standard	Doral Classic/Williamsburg EL ADA	2058: 3225 bowl, 4172.016 tank	1,000	SPS		2	3	*	E	*	*								F
American Standard	FloWise Compact Cadet 3 EL	2403.128 (one-piece)	1,000	WS	WS	1	3		E							HET			F
American Standard	Madera EL (10-inch rough-in)	3451.160 flushometer bowl only (top spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E										F
American Standard	Madera EL (10-inch rough-in)	3452.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E										F
American Standard	Madera EL (10-inch rough-in)	3453.160 flushometer bowl only (back spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E										F
American Standard	Madera EL (10-inch rough-in)	3455.160 flushometer bowl only (back spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E										F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
														Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
	Less than 250 grams																		
	250 grams to 475 grams																		
	500 grams and more																		
Type of toilet fixture																			
	6-L (1.6-gal) Pressure- or power-assist																		
	4-L (1.1-gal) Pressure-assist (HET)																		
	Gravity-fed & Vacuum-assist																		
	6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																		
	4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)																		
American Standard	Madera EL ADA (10-inch rough-in)	3461.160 flushometer bowl only (top spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*							F		
American Standard	Madera EL ADA (10-inch rough-in)	3462.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*							F		
American Standard	Madera FloWise EL (10-inch rough-in)	3451.128 flushometer bowl only (top spud); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E							HET	F		
American Standard	Madera FloWise EL (10-inch rough-in)	3452.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E							HET	F		
American Standard	Madera FloWise EL ADA (10-in rough)	3461.128 flushometer bowl only (top spud); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*						HET	F		
American Standard	Madera FloWise EL ADA (10-in rough)	3462.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*						HET	F		
American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*						F		
American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	SPS		2	3		E		*						F		
American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	SPS		2	3		E	*	*						F		
American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	SPS		2	3		R		*						F		
American Standard	Oakmont Champion EL	2625: 3153 bowl, 4272 tank	1,000	SPS		2	3	*	E		*						F		
American Standard	Oakmont Champion RF	2627: 3167 bowl, 4272 tank	1,000	SPS		2	3	*	R		*						F		
American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	SPS		2	3		E		*						F		
American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	SPS		2	3		R		*						F		
American Standard	Skyline Champion EL ADA	3225 bowl, 4077 tank	1,000	SPS		2	3	*	E	*	*						F		
American Standard	Skyline Champion RF	3110 bowl, 4077 tank	1,000	SPS		2	3	*	R		*						F		
American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	SPS		2	3		E	*	*						F		
American Standard	Townsend Champion EL ADA	2733: 3177 bowl, 4281 tank	1,000	SPS		2	3	*	E	*	*						F		
American Standard	Townsend Champion RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	SPS		2	3		R	*	*						F		
American Standard	Townsend Champion RF ADA	2735: 3180 bowl, 4281 tank	1,000	SPS		2	3	*	R	*	*						F		
American Standard	Yorkville EL	2320: 3120 bowl, 4099 tank	1,000	SPS		2	-		E				*				R F		
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	SPS	WS	2	-	*	E	*	*			HET			F		
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	SPS	WS	2	-	*	R		*			HET			F		
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	SPS	WS	2	-		E				*	HET			F		
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	WS	2	-		E	*			*	HET			F		
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	SPS		2	-		E				*		HET		F		
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	SPS		2	-		E				*		HET		F		
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	SPS		2	-		E	*			*		HET		F		
Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	SPS		2	-		E				*				F		
Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	SPS		2	-		E				*				F		
Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	SPS		2	-		E				*				F		
Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	SPS		2	-		E	*			*				F		
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	SPS	WS	2	-		E						HET		F		
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	WS	2	-		E	*					HET		F		
Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	SPS		2	-		R				*				F		
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	SPS	WS	2	-		R						HET		F		
Crane	Economiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	SPS	WS	2			R					HET			F		

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	KEY: Flush performance (MaP score)		Map Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Type of toilet fixture													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
Model Name	Model Number																		
Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000	SPS		2	-		E							HET		F	
Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	SPS		2	-		E	*						HET		F	
Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	SPS		2	-		R							HET		F	
Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	SPS		2	-		R				*					F	
Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000			2	3		E		*							F	
Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	SPS		2	3		E	*	*							F	
Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000			2	3		E	*	*							F	
Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		R		*							F	
Duravit	Caro EL	010101 bowl; 092410 tank	1,000			2	3		E		*							F	
Duravit	Duraplus EL	010201 bowl; 092510 tank	1,000			2	3		E		*							F	
Eljer	PR Titan RF (one piece)	081-0750	1,000			1	3		R		*							F	
Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000			2	3		E		*							F	
Eljer	Titan EL (one piece)	081-0755	1,000			1	3		E		*							F	
Eljer	Titan EL ADA (one piece)	081-0777	1,000			1	3		E	*	*							F	
Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000			2	3		E		*							F	
Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000			2	3		E	*	*							F	
Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000			2	3		R		*							F	
Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000			2	3		R		*							F	
Eljer	Titan Triangle EL	091-3750: 131-0755 bowl; 141-3777 tank	1,000			2	3		E		*							F	
Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000			2	3		E	*	*							F	
Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000			2	3		R		*							F	
Eljer	Toronto Savoy EL ADA	091-1265: 131-2175 bowl, 141-0260 tank	1,000			2	2		E	*	*							F	
Foremost	None - EL	TL-6300E-WL (one-piece, lined tank)	1,000			1	2		E		*							F	
Foremost	Pegasus EL ADA	SKU 464-747 (one-piece)	1,000			1	2		E	*	*							F	
Foremost	Tuxedo EL ADA	TL-5300E-WL (one-piece)	1,000			1	2		E	*	*							F	
Gerber	Allerton EL (10-inch rough-in)	20-005: 21-572 bowl, 28-585 tank	1,000			2	2		E		*							F	
Gerber	Allerton RF (12-inch rough-in)	20-001: 21-542 bowl, 28-580 tank	1,000			2	2		R		*							F	
Gerber	Allerton RF (14-inch rough-in)	20-003: 21-542 bowl, 28-584 tank	1,000			2	2		R		*							F	
Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	SPS		2	3		E	*	*							F	
Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	SPS		2	3		E	*	*							F	
Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	SPS		2	3		E	*	*							F	
Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000			2	3		E		*							F	
Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000			2	2		R		*							F	
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E				*	HET				F	
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E				*	HET				F	
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*			*	HET				F	
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E	*			*	HET				F	
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*			*	HET			R	F	
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000	SPS		2	-		E	*			*	HET				F	
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	SPS	WS	2			R				*	HET				F	
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		R				*	HET				F	
Gerber	Ultra Flush EL	21-312: 21-372 bowl , 28-380 tank	1,000	SPS		2	-		E				*					F	
Gerber	Ultra Flush EL	21-314: 21-372 bowl , 28-384 tank	1,000	SPS		2	-		E				*					F	
Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	SPS		2	-		E	*			*					F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications) Make Model Name Model Number MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) Meets Los Angeles specification (SPS) for water savings sustainability Certified to meet U.S. EPA WaterSense Specification 1-piece or 2-piece model Flush Valve-Flapper size (in.) No flapper / Non-traditional flapper Round Front (R) or Elongated (E) bowl ADA-Comfort Height-Right Height Bowl 1.6G (6L) Gravity-flush 1.6G (6L) Vacuum-Assist Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) <th colspan="4">High-Efficiency Toilets (HETs)</th> <th>Rear Discharge</th> <th>Floor-Mounted (F) OR Wall-Mounted (W)</th>			High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)											
													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)			
Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	SPS		2	-		E	*			*						F
Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	SPS		2	-		E	*			*						F
Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	SPS		2	-		E	*			*						F
Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	SPS		2	-		E	*			*					R	F
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	SPS	WS	2	-		R						HET				F
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	SPS	WS	2	-		R						HET				F
Jacuzzi	Maxima EL ADA	DP55959 bowl, EL61959 tank	1,000			2	3		E	*	*								F
Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	SPS		2	-	*	E				*					R	F
Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	SPS		2	3		E	*	*								F
Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	SPS		1	3		E	*	*								F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	SPS	WS	1	-	*	E	*			*-at 1.4-g	HET					F
Kohler	Wellworth EL (flushometer bowl & valve combination)	K-4406 flushometer bowl (tested with K-10956 flushometer valve (piston type))	1,000	NE	NE	2	-		E								HET		F
Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	SPS		2	-		E				*						F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	SPS	WS	2	-		E						HET				F
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	SPS	WS	2	-	*	E	*					HET				F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	SPS	WS	2	-		E				*	HET					F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	SPS	WS	2	-		E	*			*	HET					F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	SPS	WS	2	-		R				*	HET					F
Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000			2	3		E		*								F
Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000			2	3		E	*	*								F
Mansfield	None - EL	144 bowl, 119 tank	1,000	SPS	WS	2	-		E	*			*	HET				R	W
Mansfield	None - EL	144 bowl, 123 tank	1,000	SPS		2	-		E	*			*					R	W
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	SPS	WS	2	-		E						HET				F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	SPS	WS	2	-		E						HET			R	F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	SPS	WS	2	-		E	*					HET				F
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	SPS	WS	2	-		R						HET				F
RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000			2	3		E		*								F
Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000			2	3		E		*								F
Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000			2	3		R		*								F
Vitra	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	SPS		2	3		E	*	*								F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123V bowl, 3436V tank	1,000	SPS	WS	2	-	*	E	*	*			HET					F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	SPS	WS	2	-		E	*					HET				F
Vortens-Lamosa	Vienna ELX	3113ELX bowl, 3436SPS tank	1,000	SPS		2	2		E		*								F
Western Pottery	Hi-Boy Challenger EL	872 bowl, ULF-8 tank	1,000			2	2		E		*								F
Western Pottery	Typhoon 820 RF	820: B820 bowl, T8ULF-HP tank	1,000			2	3		R		*								F
Western Pottery	Typhoon 870 EL ADA	870: B870 bowl, T8ULF-HP tank	1,000			2	3		E	*	*								F
Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E				*						F
Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E	*			*						F
Western Pottery	Wrangler One EL	B432 PF: 432 PF bowl, ULF-T4 tank	1,000	SPS		2	-		E						HET				F
Zurn	EcoVantage Dual Flush EL ADA	Z5562	1,000	SPS		2	-	*	E	*			*	HET					F
Zurn	EcoVantage EL ADA	Z5560	1,000	SPS		2	-	*	E	*			*						F
Zurn	EcoVantage EL ADA	Z5561	1,000	SPS		2	-	*	E	*					HET				F

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
														Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Flushometer Valve (commercial)		
KEY: Flush performance (MaP score)		Less than 250 grams																	
		250 grams to 475 grams																	
		500 grams and more																	
Type of toilet fixture		6-L (1.6-gal) Pressure- or power-assist																	
		4-L (1.1-gal) Pressure-assist (HET)																	
		Gravity-fed & Vacuum-assist																	
		6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																	
		4.8-L (1.28-gal) Flushometer Bowl & Valve Combination HET (Commercial applications)																	
Zurn	EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000			2	3		E		*						F		

RF – Round-front toilet bowl

EF – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

NE - Currently NOT ELIGIBLE for WaterSense or SPS designation; commercial flushometer valve toilet.

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

SPS - Qualified to the Los Angeles Supplementary Purchase Specification for durability and adjustability